

Setup LBADR Recorder

Install basic Debian system

- SSh/Standard System only
- Add non-free and contrib to /etc/apt/sources.list and update
- Install the following packages

```
apt-get install apt-file libfftw3-dev tkdiff g++ gcc gfortran build-essential subversion pgplot5 tcptraceroute ethtool wireshark autoconf libtool gnu-standards emacs qiv tcpdump x11-apps zlib1g-dev pkg-config ntpdate ntp libgtk2-perl screen lshw apt-file update
```

ETCH

```
apt-get install pgsperl libpng3-dev
```

SQUEEZE & WHEEZEY

```
apt-get install libpng12-dev libpgplot-perl
```

- Copy bigphysarea kernel deb package (see below)

```
dpkg -i linux-image-XXX-bigphys_1.0_i386.deb
```

SQUEEZE & WHEEZEY

- Edit /etc/default/grub change GRUB_DEFAULT as appropriate and GRUB_CMDLINE_LINUX_DEFAULT="bigphysarea=128000"

```
update grub
```

To create a kernel build machine

```
apt-get install kernel-package linux-source  
echo "CONCURRENCY_LEVEL= 2" >> /etc/kernel-pkg.conf
```

Wheezy

```
apt-get install libqt4-dev
```

Setup NTP

Add ntp servers to /etc/ntp.conf

Etch

Also add ntp server to /etc/default/ntp

Build patched bigphys kernel

- As root on kernel build machine (see above)
- Download patch from http://e-mode.phas.ubc.ca/mce/pc_install/bigphys/

```
cd /usr/src/  
tar xvjf /usr/src/linux-source-X.X.tar.bz2  
cd linux-source-X.X  
make xconfig      (see list below)  
patch -p1 < bigphysarea-3.2.0.patch  
make oldconfig  
    Support for big physical area reservation (BIGPHYS_AREA) [N/y/?] (NEW)  
y  
make-kpkg clean  
fakeroot make-kpkg --initrd --revision=1.0 --append-to-version=-bigphys  
kernel_image
```

Removed the following modules/catagories

```
PCCard  
DCCP  
Amateur Radio  
CAN bus  
IrDA  
Bluetooth  
Wireless LAN  
ISDN
```

Install "eVLBI" code

```
svn co https://svn.atnf.csiro.au/evlbi/trunk evlbi  
cd evlbi  
make
```

Install vsib drivers and setup

- as root:

```
cd ~vlbi/evlbi/vsib  
cp init.vsib /etc/init.d/vsib  
update-rc.d vsib defaults  
cp vsib.conf /etc/modprobe.d/
```

```
make install
```

ETCH

- Add the following to `/etc/udev/permissions.rules`

SQUEEZE & WHEEZY

- Add the following to `/lib/udev/rules.d/91-permissions.rules`

```
# vsib board
KERNEL=="vsib", MODE="0664", GROUP="vlbi"
```

```
==== More ====
```

```
* via CPAN Config::Trivial.pm, Astro::Time
```

New VSI Machines

e1000e Network driver

Need support for Intel I219LM LAN controller

- Download e1000e-3.3.5.3.tar.gz from <https://downloadcenter.intel.com/download/15817>

```
tar zxvf e1000e-3.3.5.3.tar.gz
cd e1000e-3.3.5.3/src
make install
modprobe e1000e
```

Patch kernel

https://launchpadlibrarian.net/85312585/fix_readq.patch

```
---
drivers/acpi/atomicio.c | 11 ++++++++--
1 file changed, 9 insertions(+), 2 deletions(-)

--- a/drivers/acpi/atomicio.c
+++ b/drivers/acpi/atomicio.c
@@ -306,11 +306,18 @@ static int acpi_atomic_read_mem(u64 padd
     case 32:
         *val = readl(addr);
         break;
-#ifdef readq
     case 64:
+#ifdef readq
         *val = readq(addr);
```

```
-     break;
+ #else
+     {
+         u64 h;
+         *val = readl(addr);
+         h = readl(addr+4);
+         *val = *val + (h << 32);
+     }
+ #endif
+     break;
+     default:
+         return -EINVAL;
+ }
```

From:

<https://www.atnf.csiro.au/vlbi/dokuwiki/> - **ATNF VLBI Wiki**

Permanent link:

https://www.atnf.csiro.au/vlbi/dokuwiki/doku.php/lbaops/vsib_installation?rev=1496797340 

Last update: **2017/06/07 11:02**